

### Topics



- 1. Context
- 2. Science/Science Implementation
- 3. LPI Workshop
- 4. Synergy with Human Exploration
- 5. Opportunity for Technology Infusion
- 6. Public Engagement
- 7. Summary

#### The Charter to MPPG




 MPPG is delivering options for NASA's consideration, on a new architecture (sequence of interconnected missions), with particular attention to the 2018/2020 opportunities that follow MSL/Curiosity, MAVEN, and ESA/TGO missions

#### Options reflect

- Science driven approach, guided by the primary objectives of the NRC Decadal Survey
- A closer, strategic collaboration between SMD, HEO, OCT, and OCS
- Education and Public Engagement opportunities
- Collaboration with HEO also reflects responsiveness to the President's challenge of human travel to Mars orbit in the decade of the 2030s

### **MPPG Vision**





### Structuring a Mars Program



- The Mars Exploration Program (MEP) of record has been extraordinarily successful.
   It validates the wisdom of planning a strategic program as opposed to a collection of disconnected missions. In a properly structured program:
  - Missions are coupled scientifically, technologically, and operationally
  - They follow an overarching scientific theme:
    - e.g., understand the habitability of Mars past or present
  - They follow an overall Program strategy:
    - e.g., "follow the water", or "search for signs of life"
- A science driven program moving forward must also:
  - Anticipate enabling technological needs and maintain a robust technology development program
  - Create opportunities that fill in strategic knowledge gaps as identified by the human space flight program needs, goals, and objectives
  - Maintain an integrated, robust education and public engagement component

#### **NRC** Recommendations



- NRC *Decadal Survey* science recommendation for Mars Exploration is **Sample Return** on the basis of:
  - Best support to the search for evidence of ancient life questions
  - Broad Community support, and a consistent priority for decades
- Mars Sample Return (MSR) as an end-to-end endeavor is complex. Concepts assessed by the NRC carried a large price tag. To ensure the required budget profile does not peak too highly in any one year, the overall mission has been broken into a number of discrete elements launched in different opportunities
  - Hence an MSR "campaign" which spans nearly a decade to keep yearly budgets manageable
- While this approach keeps annual budget in check, it required a decade long commitment to deliver all of the MSR elements
- Therefore, MPPG embarked on evaluation and assessment of:
  - 1. Alternatives to MSR as a Mars program emphasis
  - 2. Alternative (lower cost) MSR implementation approaches

### MPPG Core Team & Approach




- O. Figueroa (Chair)
- J. Garvin (SMD/GSFC)
- M. Gates (HEOMD)
- M. Gazarik (OCT)
- D. McCleese (JPL)
- J. Mustard (Brown Univ.)
- F. Naderi (JPL)
- L. Pratt (Indiana Univ.)
- J. Shannon (HEOMD)
- G. Tahu (Exec Officer, HQ)

#### **Ex-Officio**

- R. DePaula (SMD/Intl Liaison)
- M. Wargo (HEOMD/Science)

GSFC = Goddard Space Flight Center **HEOMD** = Human Exploration and Operations Mission Directorate JPL = Jet Propulsion Laboratory OCS = Office of Chief Scientist OCT = Office of Chief Technologist SMD = Science Mission Directorate



CAPS = NRC Committee on Astrobiology and Planetary Science MEPAG = Mars Exploration Program Analysis Group IMEWG = International Mars Exploration Working Group

**MPPG** 


### Objectives/Constraints



- MPPG developed figures of merit to guide the mission and architecture (including 2018/2020) options within the programmatic constraints
  - Advance the overarching scientific goals/objectives as stated in the NRC Decadal and MEPAG
  - Advance knowledge and capabilities required to enable eventual human exploration
  - Infuse/feed forward technology and capability
  - Provide opportunities for robotic and human spaceflight program interconnections
  - Be cost credible and within an acceptable risk posture
  - Provide opportunities for participation by industry and international communities
  - Other considerations (infrastructure, program cadence, preservation of technical competencies, etc.)
- The President's FY13 MEP budget narrows the trade space for what can be afforded in 2018
  - Current Rover options not credible for 2018 within budget constraints
  - A 2018 orbiter meets the above programmatic constraints and is consistent with the available budget – with significant re-profile adjustments
  - Risk to the 2018 opportunity rises fast as end of the calendar year approaches

### MPPG Science Pathways: OPTIONS generated





### **Pathways**



- Implementation strategies for Sample Return:
  - Pathway- A:
    - · Commence MSR using existing data
    - Implemented at a pace that is consistent with available resources
  - Pathway- B:
    - Undertake multi-site investigation to optimize search for ancient life employing surface and orbital investigations to optimize the selection of samples to be returned to Earth
  - Pathway- C:
    - Credible approaches to sample return that trade science for lower costs
- Are there viable architectures that do not include MSR, within the budget constraints?
- MPPG used a concept similar (in approach) to the science pathways for the elaboration of human exploration pathways
  - Risk driven (vs. science) approach to achieve the goal of "humans in the Mars System" by 2033 in the safest and most efficient manner

# Mars Concepts & Approaches Workshop



Hosted by Lunar & Planetary Institute (LPI), June 12-14, 2012

#### WHAT


- Workshop forum organized by Lunar and Planetary Institute (LPI) for the community to discuss ideas and approaches for Mars exploration
- Included both near-term (2018-2024) and longer-term (2024-2030s) timeframes
- Targeted to professional community, but open to all; entire workshop broadcast via Livestream
- LPI summary report submitted to NASA: June 18 (available for download at LPI website noted below)

#### **RESULTS**

- Reinvigorated discussion/collaboration among communities of practice across science, engineering, technology, SMD, and HEOMD
- Examples of innovative concepts include:
  - Solar electric propulsion orbiters
  - Mini-Mars Ascent Vehicle (Mini-MAV) with nanopropulsion return vehicle
  - Mars Exploration Rover (MER)-based rover concepts
  - Miniaturized organics detection instruments
  - Precision sub-sampling for in-situ analysis
  - Concepts to access extreme terrain

http://www.lpi.usra.edu/meetings/marsconcepts2012/

Participation Statistics (to-date)Abstracts Submitted:390Abstracts Selected for Presentation:170Abstracts Selected for Print Only:146Abstracts Rejected:74Student Presenters:>10Livestream Viewers:4,976Unique IP address visitors32,716



### LPI Workshop (con't)



- The LPI workshop was of most benefit to MPPG in that it provided creative/ catalytic ideas for:
  - Lower cost mission concepts (e.g., MER class rovers, ascent and return spacecraft vehicles), ideas for access to extreme terrains
  - Synergistic technologies between SMD/HEO/OCT, leading to possible joint technology development opportunities (e.g., Solar Electric Propulsion, EDL, MAV, ISRU)
  - Reinforced need for continued record of key environmental measurements, inventory of resources availability, and approaches for investigating modern environments for habitability.
  - Student Experiments that can be manifested on smallsats/cubesats

#### MPPG used the results to:


- Charter sub-teams to explore out of the box ideas to enable cost effective approaches to Sample Return, now known as Pathway C (e.g. mini MAV with nano thrusters)
- Further explore platforms for access to extreme terrains and their scientific interrogation, particularly those for surficial flows
- Further explore technology collaboration opportunities

#### MPPG Identifies Options



#### EXAMPLE: 2018 Orbiter followed by 2020/22 Surface Mission

#### Pursue Science-driven Strategy that Seeks Signs of Ancient Life on Mars



Other Mars Science Concepts via Competitive AO's?

**OPTIONS RESPOND TO SCIENCE AND TECHNOLOGY...** 

7/23/12

### Current Focus of Study for Early Mission Options



#### **ORBITERS**



#### **ROVERS**



#### Mission

Science & communications infrastructure

#### **Instruments**

(Competed or Contributed)

Core: sub-meter resolution imaging, 2-3m resolution multi-spectral mineral mapping Augmented: synthetic aperture radar, trace gas measurement, atmospheric

#### **Technology**

(Synergistic with HEO)

Optical comm, atomic clock, solarelectric propulsion, aerocapture

# **HEO Strategic Knowledge Gaps**

Radiation, climate/atmospheric measurements

In-situ science & caching of select samples (3 concepts from Mars Exploration Rover- to Mars Science Laboratory-derived)

Core: Imaging & infrared spectroscopy, context & composition (sub millimeter scale) Augmented: miniature organics detection

Precision landing (inflatable decelerators, smart parachutes, guided entry), atomic clock, DSN direct-to-Earth link, next generation UHF

TBD (radiation, atmospheric, cached sample) depending on rover design

### **Rover Concept Features Summary**

		-			MARS PROGRAM PLANNING GROUP
	MER (end member)	Rover A (MER, airbags)	Rover B (MER+, airbags)	Rover C (MSL-, sky crane)	MSL (end member)
			250		
Payload Type	In-situ science	In-situ science and sampling/caching	In-situ science and sampling/caching	In-situ science and sampling/caching	In-situ science + sampling/analysis
Payload Mass	20 kg	40-45 kg	55 kg	67 kg	220 kg
Rover Mass (total w/ payload)	175 kg	200 kg	280 kg	700 kg	900 kg
Aeroshell Diameter	2.6 m	2.6 m Backshell 3.2 m Heatshield	3.2 m (new)	4.5 m	4.5 m
Entry - Landing Ellipse	Ballistic - ~100 km	Guided - ~10 km RCS in Heatshield	Guided - ~10 km RCS in Backshell	Guided - ~10 km MSL	Guided - ~10 km
Descent & Landing	Airbag - 540 kg	Airbag - 540 kg	Airbag - 800 kg	Skycrane – Mobility	Skycrane - Mobility
Avionics	Rad600 VME	MSL FPGA/ckt level, or New	MSL ~board-level New motor control	MSL	RAD750, cPCI
Rover Mobility	MER	MER	Scaled MER	MSL	MSL
Rover Power/Thermal	Solar – Rigid + RHU	Solar – Rigid + RHU	Solar – Rigid + RHU	Solar –Ultraflex + RHU	RTG + Pumped fluid loop
Rover Design Latitude	10N/15S	15S/30N	15S/30N	15S/30N	+/- 30 degrees
Rover Design Lifetime	90 sols ( <i>DESIGN</i> )	360 sols 1-2 km traverse	360 sols TBD km traverse	360 sols+ 20 km traverse	687 sols (DESIGN)
Launch Vehicle	Delta 7925/ Delta 7925H	Falcon 9 or Atlas V - 401	Falcon 9 or Atlas V - 401	Atlas 5 – 531 / 541	Atlas 5 - 541

7/23/12 MPPG 14

## Pathway C – Sample Trade Space



#### **Orbiter Configurations**

Orb 1.0 Small dedicated rendezvous & return system (Neo-Surveyor Class)

Orb 2.0 Infrastructure (MRO Class) with staged or full-s/c rendezvous & return capability

#### **Surface Delivery Configurations**

Del 1.0 MER/MPF airbags

Del 2.0 MSL Sky Crane

Del 3.0 Phoenix propulsive

Del 4.0 MSL w/ 100m(?) landing accuracy

#### **Surface System Configurations**

Local site, short range

**Surf 1.1 Airbag Lander + Drill+ MAV** 

Surf 1.2 Sky Crane Pallet + Drill+ MAV

Surf 1.3 Sky Crane pallet + Rover (1.0) + MAV

Moderate range

Surf 2.1 Sky Crane Pallet + MAV + Rover (2.0)

Long range

Surf 3.1 Sky Crane Mobile Rover (3.0) + MAV

#### **MAV Configurations**

MAV 1.0 Mini-MAV (100 kg class)

MAV 2.0 Mod-MAV (200 kg class, 500 km

circular)

MAV 3.0 Full-MAV (300 kg class)

MAV 4.0 MAV with nano-SEP return vehicle

#### **Rover Configurations**

Rov 1.0 Small size/range, <200 kg

Rov 2.0 Moderate size/range, <500 kg

Rov 3.0 Large size/range, <1000 kg

#### **Launch Configurations**

**Two Separate** 

Co-Manifested

**Numerous Launch Vehicles** 

# Synergies with Human Exploration



- The President's challenge of sending humans to the Mars system in the 2030s provided a convenient intersection for assessing the robotic and human space programs.
  - MPPG began with the assumption that Mars samples placed in Mars orbit by a robotic
     mission could be collected and returned to Earth by humans, with robotic return as backup
  - Programmatic implications and cost of the various humans to Mars architectures were not considered as part of the MPPG action—only technical feasibility and risk assessed
- MPPG conducted architectural trade studies of humans to the Mars system using risk as a differentiator
  - Assembled MPPG/HEOMD team at JSC with multi-Center participation, equivalent to the JPL Advanced Studies & Program Architecture team for robotic missions, and appointed a human/robotic mission lead at JPL
  - Focused the Precursor Strategic Analysis Group on Strategic Knowledge Gaps
  - Analyzed, prioritized, and integrated information from multiple sources (Mars Design Reference Architecture 5.0 and previous studies, current human architecture assessments, Strategic Knowledge Gaps), performed technical and schedule risks assessment of the architecture system elements

### **Human Exploration Roadmap**



- Preliminary analysis suggests that there are increased risks to the crew in Mars orbit-only mission (galactic cosmic radiation, behavioral health, etc.)
- Understanding the risks to the crew of landing, living (1/3 g adaptation, radiation, etc.), and then ascending from Mars orbit, require additional investigation and systems development.
- Robotic missions play an important role in reducing human mission risk, for example:
  - Mars Science Laboratory mission carries instrumentation for measurements during entry, descent, and landing and a radiation instrument on Curiosity. MSL will provide the largest EDL data set ever for performance in non-Earth entry

#### Human and Science Shared Benefits



- Human Mars exploration strategic roadmapping, including results of the PSAG chartered by NASA, yielded an overall assessment that there are useful measurements, needed technology demos, and opportunities for missions of joint benefit.
- Human exploration and science share benefits in:
  - Aerocapture
  - Automated rendezvous and docking
  - EDL technologies/techniques particularly those with promise of scalability
  - In-situ propellant production (oxygen from the atmosphere)
  - Mars ascent propulsion demonstration (oxygen based)
  - Mars environmental and atmospheric data
- Mars Sample Return is a promising area for innovative ideas and increased collaboration
- MPPG work is also including the potential of sending Martian samples robotically to the Earth-Moon system to be retrieved and returned to Earth by astronauts.

### Precursor Strategic Analysis Group (P-SAG)



- NASA HQ chartered P-SAG as a special analysis group of MEPAG and Small Bodies Assessment Group (SBAG)
  - Driven by the need to understand pre-human access knowledge to enable human exploration (both from orbit and to the surface)
  - Report available at http://mepag.nasa.gov/reports/psag.html
- P-SAG offered several recommendations for scientific measurement priorities showing a clear intersection of science and human exploration needs, and including the recommended vantage point to address them; among those recommendations (also reinforced at the LPI Workshop) are:
  - Mars climate conditions for understanding the atmospheric dynamics and increasing capability of landing
  - Surface Radiation Environment for determining the best shielding approaches and operational scenarios
  - Direct characterization and quantitative analysis of returned Mars samples in Earth laboratories for human safety related measurements - consistent with NRC "Safe On Mars" report [NRC "Safe on Mars", 2002]

### Precursor Strategic Analysis Group



Relationship of Strategic Knowledge Gaps to Science

**SKGs** 

					A1	A2	<b>A3</b>	A4	B1	B2	В3	B4	<b>B5</b>	<b>B6</b>	B7	B8	<b>C1</b>	C2	<b>C</b> 3	D1	<b>D2</b>
					AI	A2	AJ		DI	62	<b>D</b> 3	D4	<b>D</b> 3	DU	DI	DO	0	02	Co	וט	
_		Objective	#	Investigation (from 2010 MEPAG Goals Document)	Upper Atmosphere	Atm. Modeling	Orbital Particulates	Technology: To/from Mars System	Lower Atmosphere	Back PP	Crew Health and Performance	Dust Effects	Forward PP	Atmospheric ISRU	Landing Site and Surface Hazards	Technology: Mars Surface	Phobos/Deimos Science	Phobos/Deimos surface Ops	Technology: Phobo/Deimos	Water Resources	Technology: Sustained Presence
		A. Past habitabil ity /life	1	PRIOR HABITABILITY OF SURFACE ENVIRONMENTS																S	
		bita y/li	2	PRESERVATION POTENTIAL																	
		ha it	3	EVIDENCE OF PRIOR HABITABILITY OR BIOSIGNATURES																	
	<u>.e</u>	B. Present habitabil ity/life	1_	PRESENTLY HABITABLE ENVIRONMENTS						Е			Е							S	
	۴,	B. B. B. A. J.	2	DEGRADATION OF LIFE SIGNATURES						S			Е								
	_		3	SEARCH FOR EXTANT LIFE						Е			S								
		C. Evolution of nabitability	1	CHARACTERIZE HYDROLOGICAL CYCLE																S	
		C. Evolution of habitability	2	BIOESSENTIAL ELEMENTS																	
		abit	3	POTENTIAL ENERGY SOURCES																	
		ع س	4	OXIDATIVE / RADIATION HAZARDS						Е	Е	S			S						
		B. A. Recent Present	1_	WATER, CO2, AND DUST PROCESSES	E	E			E		S	S		E	S					S	
	Ф		2	PHOTOCHEMICAL SPECIES	S	S			S	Е		S		E							
	Ť		3	VOLATILE AND DUST EXCHANGE	S	S			S			S		E							
	Ë		4	SEARCH FOR MICROCLIMATES						S		S	S	S							
	Climate		1	ISOTOPIC, NOBLE, & TRACE GAS CHANGES W/ OBLIQUITY STRATIGRAPHIC RECORDPLD																	
	( a §		3	PERIGLACIAL PROCESSES				Ġ.								-ji			-ji		-j
	<u> </u>		1	RATES OF ESCAPE OF KEY SPECIES				sse								addressed			sse		sse
		t ger	2	PHYS AND CHEM RECORDS				ddre								- pg			ddre	S	ddre
		C. Ancien t	3	ISOTOPIC, NOBLE, AND TRACE GAS EVOLUTION				Not addressed.								t ac			Not addressed.	3	Not addressed
H		_	1	MINERALOGY OF GEOLOGIC UNITS				ž			S	Е			Е	Not			ž	Е	ž
	SS	-	2	SEDIMENTARY PROCESSES AND EVOLUTION							S	S			S					S	
	<u>ښ</u>		3	ABSOLUTE AGES							5	0			0						
	Š		4	HYDROTHERMAL ENVIRONMENTS						Е									1	S	
	eophysic	Crust	5	IGNEOUS PROCESSES AND EVOLUTION																	
	ద		6	SURFACE-ATM INTERACTIONS								S			S					S	
	ĕ	∢	7	TECTONIC HISTORY OF CRUST																	
	Ŏ		8	PRESENT STATE AND CYCLING OF WATER																Е	
	=		9	CRUSTAL MAGNETIZATION																	
	6		10	EFFECTS OF IMPACTS																	
	Õ	ō	1	STRUCTURE AND DYNAMICS OF INTERIOR																	
	Geology/	B. Interior	2	ORIGIN AND HISTORY OF MAGNETIC FIELD																	
	9		3	CHEMICAL AND THERMAL EVOLUTION																	
	0	so	1	ORIGIN													Е	S			
	=	C. Phobos / Deimos	2	COMPOSITION													Е	Е			
	=	P 9	3	INTERNAL STRUCTURE													Е	Е			
				MPP	_																

7/23/12

MPPG

NO OVERLAP EXCELLENT OVERLAP SOME OVERLAP


# Gap-Filling Analysis Example



	SKG	Gap-Filling Activity	Priority	Timing	Location		
		A1-1. Global temperature field.	Н	IV-	Mars Orbit		
<b>A</b> 1	Upper Atmosphere	A1-2. Global aerosol profiles and properties	Н	IV-	Mars Orbit		
		A1-3. Global winds and wind profiles	M	IV-	Mars Orbit		
<b>A2</b>	Atm. Modeling	A2-1. Atm. Modeling.	Н	IV-	Earth		
<b>A3</b>	<b>Orbital Particulates</b>	A3-1. Orbital particulate environment	M	IV-	Mars Orbit		
		A4-1. Autonomous rendezvous and docking demo	Н	IV-	Earth or Mars Orbit		
		A4-2. Optical Comm. Tech demo	Н	IV-	Earth or Mars Orbit		
	Technology: To/	A4-3. Aerocapture demo	M	IV-	Earth or Mars Orbit		
<b>A4</b>		A4-4. Auto systems tech demo	L	IV-	Earth		
	from Mars System	A4-5. In space prop tech demo	Н	IV-	Earth		
		A4-6. Life support tech demo	Н	IV-	Earth		
		A4-7. Mechanisms tech demo	L	IV-	Earth		
	Lower Atmosphere	B1-1. Dust Climatology	Н	IV Late	Mars Orbit		
		B1-2. Global surface pressure; local weather	Н	IV Early	Mars surface		
		B1-3. Surface winds	M	IV Early	Mars surface		
<b>B</b> 1		B1-4. EDL profiles	M	IV Early	Mars EDL		
	-	B1-5. Atmospheric Electricity conditions	L	IV Late	Mars surface		
		B1-6. EDL demo	Н	IV Early	Mars EDL		
		B1-7. Ascent demo	Н	IV Early	Earth or Mars Surface		
B2	Back Contamination	B2-1. Biohazards	н	IV Early	Sample return		
		B3-1. Neutrons with directionality	M	IV Late	Mars surface		
	Crew Health &	B3-2. Simultaneous spectra of solar energetic particles in space and in the surface.	M	IV Late	Mars surface and Mars orbit		
<b>B3</b>		B3-3. Spectra of galactic cosmic rays in space.	L	IV Late	NEAR EARTH		
	Performance	B3-4. Spectra of galactic cosmic rays on surface.	M	IV Late	Mars surface		
		B3-5. Toxicity of dust to crew	M	IV Late	Sample return		
		B3-6. Radiation protection demo	Н	IV Late	Earth or Mars Surface		
	- 4 - cc 4	B4-1. Electricity	L	IV Late	Mars surface		
<b>B4</b>	Dust Effects on	B4-2. Dust physical, chemical and electrical properties	Н	IV Late	Mars Surface or Sample return		
	Surface Systems	B4-3. Regolith physical properties and structure	M	IV Late	Mars Surface or Sample return		

#### DRAFT – Human Exploration Roadmap: Intersections





7/23/12

# Mars Sample Return During Early Operations Beyond Earth Orbit



 As an alternative to astronauts retrieving samples from Mars orbit, MPPG also studied using an SEP enabled vehicle delivering samples to Lunar orbit for a crew retrieval

- Crew sends robot ≈1km to capture, encase and retrieve the sample canister tele-robotically
  - Crew robotically inspects canister exterior and seals, encases canister
  - Robot brings sample back and does rendezvous with a crewed vehicle
  - Encased sample canister is brought through the airlock/hatch into a glove box for cleaning (e.g. hydrogen peroxide)
  - Cleaned sample canister is then enclosed in a stowage case, sealed and removed from the glove box and stowed in Orion for Earth return.
- This approach is feasible and provides an additional measure of safety and planetary protection at a safe distance from Earth, and mass savings from lack of robotic Earth re-entry vehicle from Mars.
  - Crew inspection, cleaning, and more enclosures prior to Earth return
  - Crew entry system is inherently more reliable for Earth entry
  - Provides opportunity for additional testing safely away from Earth
  - Saves mass and cost of Earth re-entry system for sample canister

### **Technology Development**



- Enabling technologies are a critical part of the Mars Exploration Program. Anticipating needs and targeting technology developments, as well as the pull from cross-cutting technology efforts is key. Close coordination between Directorates is encouraged, with Mars as the objective. Relevant technology areas of collaboration: technology areas related to EDL, Communication, MAV (including ISRU enabled).
- There are technologies within the SMD/Mars Program that need targeted attention
  - Maturation of compact sample acquisition, retrieval, handling and storage systems (i.e., laboratory/field demonstrations on Earth), and in situ sample analysis and context instruments are key for in-situ science relevant to sample return
  - FY13 budget runout does not adequately fund instrument technology development. Prior budget reductions ended
    the Mars Instrument Development Program (last selection was in 2007), and the Planetary Instrument Design &
    Development and Astrobiology Science and Technology Instrument Development programs have experienced low
    selection rates that may not allow robust development of required solutions to drive smaller and lower cost solutions.
  - Technologies (including supporting processes and approaches) that enable lower cost implementation approaches are expected to be derived from the Pathway C studies
- OCT is currently providing substantial funding for technologies beneficial to Mars program through TRL 6/7. These include: atomic clock (DSN scheduling cost efficiencies, navigation accuracy for precision landing), and aerodynamic inflatable decelerators (higher altitude landing site access, mass to the surface, and ultra-precision landing), and should continue.
- OCT is also providing some support for other high priority technologies including: deep space optical communications, advanced SEP capabilities, and small sat/cubesats for deep space applications.

### **Cross Technology Opportunities**



#### **Early Missions**

- Precision landing (single-km diameter landing footprint 3σ), higher altitude landing sites, and increased payload to surface
  - Inflatable decelerators, smart parachutes, guided entry,
- Reduced DSN tracking time and enhanced data return
  - atomic clock
- Mars Ascent Vehicle (MAV)
- Communications
  - Optical comm, DSN/DTE link, next generation UHF

#### Mid to Late Missions

- Pinpoint landing and hazard avoidance (i.e., 100m diameter)
- In situ resource utilization (ISRU) at relevant scales
- ISRU enabled MAV
- Dust effects, mitigation and toxicity
- Higher performance solar electric propulsion, nuclear thermal propulsion, fission power systems
- Supersonic Retro-Propulsion (SRP)

### Mars Forum - Experiment in Public Engagement



- Purpose: Engage the public in a conversation about Mars exploration and the re-planning effort. Find out what the public wants to know, so that we can provide relevant responses.
- Method: Ideascale tool allows public to pose questions, respond to questions, and "vote" on the user-generated content.

http://mars.ideascale.com

- Phase 1 Completed: June 8 July 1
- Most popular topics:
  - Permanent settlement / Colonization
  - Partnering with private industry
  - (Building a) Public support campaign
  - Reducing travel time to Mars
  - Race for Mars (with other countries)
  - Terraforming Mars

Performance Through July 1, 2012	Total
Registered Users	1261
<b>Total Questions Submitted</b>	586
Total Votes	8775
Total Comments	2792



### Summary



- MPPG products are setting the stage for continued collaboration between science, human exploration, and technology, towards the common objective of Mars Exploration.
- President's FY13 budget limits the options for 2018 if NASA is to continue on the Search for Signs of Past Life science theme.
- Sample return provides a common frame of reference for advancing knowledge, technology and capability. MPPG is exploring multiple architecture and implementation options, while also exploring alternative questions—all consistent with the Decadal science objectives.
- LPI and inputs from the general public continue to reinforce the persistent interest in Mars Exploration.